

INDEX

THE MEDICAL LETTER ON DRUGS AND THERAPEUTICS

VOLUMES 18 (1976) through 22 (1980)

(Page numbers in bold type indicate major references.)

- Abbokinase, 20:37**
Abortifacients
 plant products as, **21:30**
Abortion
 midtrimester, **19:25**
 vaginal suppository for, **19:89**
Accused, 22:43
Acetaminophen, 18:73
 in Capital with Codeine, **20:96**
 for dysmenorrhea, **21:81**
 hepatotoxicity, **20:61**
 vs. mefenamic acid, **20:104**
 overdose, acetylcysteine for, **21:98**
Acetohexamide, 19:25
Acetylcysteine
 for acetaminophen overdose, **21:98**
Acne
 drugs for, **22:31**
 topical antibiotics for, **22:107**
 Topicycline for, **20:35**
Acrodermatitis enteropathica, 20:57
Acromegaly
 bromocriptine for, **19:104**
Actidil, 19:78
Activated charcoal
 for treatment of poisoning, **21:70**
Adapin, 19:100
Addiction
 see also Drug abuse
 clonidine for opiate withdrawal, **21:100**
LAAM, 20:40
Adenine arabinoside, 21:17
 for herpes keratitis, **19:42, 52**
Aerosols for asthma, 18:76
Aftate, 18:101
Aging
 and effect on drugs, **21:43**
 Gerovital for, **21:4**
Air embolism
 hyperbaric oxygen for, **20:51**
Airbron, 21:98
Albay, 22:37
Alcohol
 in breast milk, **21:21**
 depressant effect with sedatives, **18:60**
 and frostbite, **22:112**
 for handwashing, **18:85**
 interactions with drugs, **19:47**
 intravenous, in premature labor, **18:42, 22:89**
 and sexual dysfunction, **19:82, 22:109**
 as topical antiseptic, **19:83**
Alcoholism
 disulfiram for, **22:1**
Aldactone, 19:82, 22:108
Aldomet, 19:1, 81, 100, 22:18, 108
Alka-Seltzer, 18:119
Allergy
 antihistamines for, **19:77**
 to insect stings, **20:54**
 venom extracts for, **22:37**
 to plant products, **21:30**
Allopurinol for gout, 18:50
Alprenolol after myocardial infarction, 21:101
Aluminum chloride hexahydrate for hyperhidrosis, 19:20
Amantadine
 for influenza, **20:25, 22:92**
 for Parkinson's disease, **21:38**
Ambodryl, 19:78
Amcinonide, 22:51
Amebiasis
 metronidazole for, **21:89**
Amenorrhea
 bromocriptine for, **19:103**
Amicar, 22:110
Amikacin, 18:97, 19:95, 22:85
Amikin, 18:97, 19:95, 22:85
Aminocaproic acid
 and sexual dysfunction, **22:110**
Amipaque, 22:56
Amitriptyline, 19:100, 22:16, 55
 and sexual dysfunction, **22:109**
Amniocentesis, diagnostic, 20:93
Amoxicillin, 18:33, 22:13
 for chronic bronchitis, **22:68**
 for gonorrhea, **19:107**
Amoxil, 18:33, 19:107, 22:13, 68
Amphetamines
 abuse of, **19:15**
 and alcohol, **19:47**
Amphotericin B, 20:66, 21:31, 39
Ampicillin, 18:3, 33, 19:95, 21:42, 22:13
 for chronic bronchitis, **22:68**
 and colitis, **21:97**
 for gonorrhea, **18:30**
 for postspenectomy prophylaxis, **19:3**
Amyloidosis
 DMSO for, **22:95**
Anabolic steroids
 for athletes, **18:120**
Ana-Kit, 20:54
Analgesics, 18:77
 acetaminophen, **18:73**
 acetaminophen and codeine, **20:96**
 for arthritis, **18:77, 119**
 butorphanol, **20:111**
 choline salicylate, **18:119**
 for dysmenorrhea, **21:81**
 in elderly patients, **21:43**
 parenteral, **21:83**
 pentazocine, **18:46, 48**
 preoperative, **19:26**
Anaprox, 21:82
Ancef, 18:33
Ancobon, 20:67, 21:31
Anemia, iron deficiency
 iron supplementation for, **19:35**
Aneroid gauge, 19:55
Anesthetics
 cocaine as, **21:19**
 complications from, **22:61**
 in cough remedies, **21:103**
 general, ketamine, **19:58**
 local, long-acting, **19:4**
 for minor procedures, **19:27**
 and propranolol withdrawal, **18:41**
 and sodium nitroprusside, **18:68**
Angina pectoris
 and coronary arteriography, **18:57**
 metoprolol for, **20:97**
 oral nitrates for, **21:88**
 and propranolol withdrawal, **18:41**
Ankylosing spondylitis
 drugs for, **18:77**
 sulindac for, **21:1**
Anorectics, abuse of, 19:15
Anspor, 18:33, 21:85
Antabuse, 19:47, 22:1
Antacids for heartburn, 22:27
Anthranelates as sunscreens, 21:46
Antianxiety drugs
 benzodiazepines, **19:49**
Antiarthritics for dysmenorrhea, 21:82
Antibiotics, see Antimicrobials and individual drugs
Anticholinergics
 abuse of, **19:16**
 for Parkinson's disease, **21:37**
 plant products as, **21:29**
 and sexual dysfunction, **19:82**
Anticoagulants
 in breast milk, **21:21**
 in elderly patients, **21:43**
 heparin, **19:31, 71**
 interactions with alcohol, **19:48**
 for pulmonary emboli, **20:37**
Anticonvulsants, 19:93
 in breast milk, **21:21**
 clonazepam, **18:18**
 phenytoin, **18:23, 25, 22:18, 49**
Antidepressants, 20:49
 see also Psychiatric disorders
 effects on driving, **19:99**
 lithium, **22:17**
 L-tryptophan, **19:108**
 MAO inhibitors, **22:58**
 and orthostatic hypotension, **20:16**
 and photosensitivity reactions, **22:64**
 and sexual dysfunction, **22:109**
 tricyclic, **22:58**
 physostigmine for overdosage, **22:55**
 and sexual dysfunction, **19:82**
 trimipramine maleate, **22:16**
Antiemetics
 manhuana for nausea in cancer, **22:41**
Antiestrogens for breast cancer, 20:41
Antifungal drugs, 18:101
 clotrimazole, **18:66**
Antihistamines
 for allergic disorders, **19:77**
 clemastine, **21:24**
 in cough remedies, **21:103**
 interactions with alcohol, **19:48**
 for itching, **22:4**
 and sexual dysfunction, **22:109**
Antihypertensives
 metoprolol, **20:97**
 and orthostatic hypotension, **20:16**
 and sexual dysfunction, **19:81, 22:108**
Anti-inflammatory drugs
 DMSO as, **22:94**
 for dysmenorrhea, **21:82**
 nonsteroidal, for rheumatoid arthritis, **22:29, 111**
 for tennis elbow, **19:34**
Antilium, 20:75, 22:55
ANTIMICROBIAL PROPHYLAXIS, 19:37, 21:73
 NOTE: Issues 478 and 539 are devoted entirely to antimicrobial prophylaxis before surgery, including cardiovascular and orthopedic surgery, neurologic procedures, contaminated and "dirty" surgery, and procedures requiring prophylaxis for prevention of bacterial endocarditis.
Antimicrobial susceptibility tests, 22:22
Antimicrobials
 see also individual drugs
 for acne, **22:31, 107**
 amikacin, **18:97, 22:85**
 in breast milk, **21:22**
 cephalosporins, **18:33**
CHOICE OF, 18:9, 20:1, 22:5
 NOTE: Issues 445, 496 and 549 are devoted entirely to the choice of antimicrobial drugs, listing first-choice and alternatives for bacteria, viruses, fungi and some other organisms. The drugs are not indexed separately.
 chloramphenicol, ophthalmic, **22:96**
 for chronic bronchitis, **22:68**
 for conjunctivitis, **18:70**
 in elderly patients, **21:43**
 gentamicin, **22:85**
 interactions with alcohol, **19:48**
 for meningitis, **19:94**
 nitrofurantoin, **22:36**
 oxolinic acid, **18:2**
 penicillin prophylaxis for syphilis, **18:44**
 and photosensitivity reactions, **22:64**
 for pneumonia, **19:103**
 prophylactic, **19:2, 37**
 sulfacycline, **18:43**
 for syphilis and gonorrhea, **18:29**
 ticarcillin, **19:17, correction, 19:28**
 tobramycin, **22:85**
 topical, **19:83**
 for travelers' diarrhea, **21:42**
 trimethoprim, **22:69**
 trimethoprim-sulfamethoxazole, **22:69**
 for urinary tract infections, **19:87**
Antimotility agents, 21:42

Antiperspirants, Drysol, 19:20
 Antiplatelet drugs
 after myocardial infarction, 22:25
 Antipsychotic drugs, 18:89
 see also Psychiatric disorders
 for depression, 20:50
 and effects on driving, 19:99
 lithium, 22:17
 long-acting phenothiazines, 18:6
 and orthostatic hypotension, 20:16
 and photosensitivity reactions, 20:64
 and sexual dysfunction, 19:82,
 22:109
 and tardive dyskinesia, 21:34
 Antiseptics
 for handwashing, 18:85
 topical, 19:83
 Antithyroid drugs in breast milk, 21:22
 Antitussives, 21:103
 Antivenin, 20:101
 Antiviral drugs
 trifluridine
 for herpes simplex keratitis, 22:46
 vidarabine
 for herpes simplex keratitis, 19:42
 Anturane, 18:49, 22:25
 Anvita, 22:91
 Anxiety and insomnia
 see also Psychiatric disorders
 benzodiazepines for, 19:49, 92
 lorazepam for, 20:31
 Aplastic anemia
 bone marrow transplantation for,
 20:98
 from chloramphenicol, 22:96
 Apresoline, 20:90, 22:109
 Aptin, 21:101
 Ara-A, 19:42, 21:17
 Ara-C, 21:17
 Aristogel, 19:86, 22:52
 Arrhythmias, cardiac
 bretium for, 20:105
 and caffeine, 19:66, 80
 drugs for, 19:101
 phenytoin for, 18:24
 Artane, 21:38, 22:109
 Arterography, coronary, 18:57
 Arteriosclerosis obliterans
 vasodilators for, 20:11
 Arthritis
 DMSO for, 22:94
 drugs for, 18:77
 of gout, 18:49
 mefenamate for, 22:111
 nonsteroidal anti-inflammatory
 drugs for, 22:29
 penicillamine for, 20:73
 salicylates for, 18:119, 20:100
 sulindac for, 21:1
 Arthropan, 18:119
 Artificial sweeteners, 19:75
 Ascriptin, 22:71
 Asparaginase
 for lymphocytic leukemia, 20:103
 Aspirin
 vs. acetaminophen, 18:73
 for arthritis, 18:77, 119, 22:111
 vs. mefenamic acid, 20:104
 after myocardial infarction, 22:25
 and pentazocine, 18:48
 for rheumatoid arthritis, 22:29
 vs. salicylates for arthritis, 20:100
 for tennis elbow, 19:34
 for transient ischemic attacks, 22:71
 Asellacrin, 19:57
 Asthma
 beclothemethasone for, 18:76
 DRUGS FOR, 20:69
 NOTE: Issue 511 is devoted en-
 tirely to the treatment of asthma,
 including drugs of choice, alternative

drugs, adult and pediatric dosages
 and adverse effects. The drugs are not
 indexed separately.
 Astropulse, 19:56
 Astrotrop, 21:20
 Atabrine, 18:40, 19:47
 Atarax, 19:26, 22:4, 109
 Athlete's foot, 18:101
 Athletics
 and anabolic steroids, 18:120
 and use of oxygen, 20:28
 Ativan, 19:49, 20:31
 see also Psychiatric disorders
 Atromid-S, 18:53, 19:46, 22:65, 110
 Atropine and sexual dysfunction,
 22:109
 Attenuvax, 21:102
 6600 Auto-Refractor, 20:91
 Autosfig, 19:55
 Avitene, 19:28
 Azarbine for psoriasis, 18:7
 Azatidine, 19:77
 Azathioprine, 20:73
 Azene, 19:48, 49, 92
 see also Psychiatric disorders
 Azolid, 18:51, 19:34, 100, 21:1
 B-12 deficiency
 and vegetarian diets, 21:63
 Bacillus Calmette Guerin
 in immunotherapy, 18:83
 Bacitracin
 for conjunctivitis, 18:71
 ophthalmic, 22:96
 Baclofen
 and sexual dysfunction, 22:110
 for spasticity, 20:43
 for tardive dyskinesia, 21:35
 Bacteremia, pneumococcal
 vaccine for, 20:13
 Bactrim, 18:3, 33, 19:87, 20:59,
 21:42, 97, 22:68, 69
 Baramine, 19:78
 Barbiturates
 interactions with alcohol, 19:48
 for sedation, 19:26
 Bayer Aspirin, 22:71
 Bayer Cough Syrup for children, 21:104
 BCG in immunotherapy, 18:83
 BCNU, 20:79
 Because Contraceptor, 22:91
 Beclothemethasone dipropionate, 18:76
 Beclovent, 18:76
 Bee stings
 insect venom extracts, 22:37
 systemic reactions to, 20:54
 Benadryl, 19:78, 100, 22:4, 109
 Bendroflumethiazide, 21:40
 "Bends," 20:51
 Benemid, 18:30, 49, 19:107
 Benisone, 19:86
 Benzalkonium chloride, 18:85
 for dandruff, 19:64
 Benzocaine for weight control, 21:65
 Benzodiazepines, 18:89, 19:92
 see also Psychiatric disorders and
 individual drugs
 abuse of, 19:14
 caution in organic brain syndrome,
 18:94
 choice of, 19:49
 cost of, 20:32
 for depression, 20:51
 overdosage, 18:60
 Benzophenones, 21:46
 Benzoyl peroxide for acne, 20:35,
 22:31, 107
 Benztropine, 21:38
 and sexual dysfunction, 22:109
 Benzyl benzoate, 19:19

Beta-blockers after myocardial
 infarction, 21:101
 Betadine, 18:86, 19:83
 Betadine Shampoo, 19:64
 Betamethasone, 19:86, 22:52
 for respiratory distress syndrome,
 18:59
 Betamethasone benzoate, 19:86
 Betamethasone dipropionate, 19:86
 Betamethasone valerate, 19:86,
 20:112
 Bethanechol for heartburn, 22:27
 Biavax II, 21:53
 BiCNU, 20:79
 Biocept-G pregnancy test, 20:40
 Biofeedback for hypertension, 20:62
 Birth control, 20:29
 Bismuth subsalicylate, 22:63
 for travelers' diarrhea, 21:42
 Bladder carcinoma and saccharin,
 19:76
 Bleeding
 control of with Avitene, 19:28
 and heparin, 19:31, 71
 from thrombolytic enzymes, 20:37
 Bleonoxane, 21:33
 Bleomycin with cisplatin, 21:33
 Blepharitis, 18:71
 Blood donor eligibility, 22:98
 Blood pressure
 see also Hypertension
 captopril for lowering, 22:39
 minoxidil for lowering, 22:21
 monitoring devices, 19:55
 and salt restriction, 22:14
 techniques for lowering, 20:62
 BLOOD PRODUCTS, 21:93
 NOTE: Issue 544 is devoted entire-
 ly to indications for blood products,
 their components and major compli-
 cations. Components and indications
 are not indexed separately.
 BMC-Test Meconium, 18:35
 Body Temperature Indicator, 21:20
 Bone marrow transplantation, 20:98
 Breacol, 21:104
 Breast cancer
 see also Cancer
 immunotherapy for, 18:84
 mammography for, 22:53
 and oral contraceptives, 18:22
 tamoxifen for, 20:41
 Breast milk
 drugs in, 21:21
 methadone in, 21:52
 Breck One, 19:64
 Bretium tosylate
 for ventricular arrhythmias, 20:105
 Bretium, 20:105
 Bristamycin, 20:95
 Bromocriptine, 19:103
 and orthostatic hypotension, 20:16
 for Parkinson's disease, 18:118,
 21:38
 to prevent lactation, 22:48
 Bromodiphenhydramine HCl, 19:78
 Brompheniramine maleate, 19:78
 Bronchitis, chronic
 antibiotics in, 22:68
 Bufferin, 22:71
 Bupivacaine, 19:4
 Burimamide, 19:29
 Butazolidin, 18:51, 19:34, 100, 21:1
 Butorphanol, 20:111, 21:83
 Butyrophonones
 and sexual dysfunction, 22:109
 Cafegot, 18:55
 Caffeine
 and alcohol, 19:47

and breast milk, 21:23
 and cardiovascular disease, 19:65
 correction, 19:80
 Calcimar, 20:79
 Calcitonin, 20:79
 for postmenopausal osteoporosis,
 18:100, 22:46
 Calcitriol for hypocalcemia, 21:50
 Calcium for postmenopausal osteo-
 porosis, 18:100, 22:45
 Cancer
 asparaginase for leukemia, 20:103
 breast
 immunotherapy for, 18:84
 mammography for, 22:53
 and oral contraceptives, 18:22
 tamoxifen for, 20:41
 cervical, and herpes simplex virus,
 type 2, 19:52
 chemicals causing, 18:74, 19:75,
 21:30, 90
 CHEMOTHERAPY, 18:109, 20:81,
 22:101
 NOTE: Issues 468, 514 and 571
 are devoted entirely to the treatment
 of cancer. Drugs currently preferred,
 alternative drugs and adverse effects
 of the drugs are given. Drugs and
 types of cancer are not indexed
 separately.
 chemotherapy, correction on Issue
 468, 19:20
 cisplatin for, 21:33
 colorectal, Hemoccult II for diag-
 nosis, 21:36
 daunorubicin for, 22:34
 endometrial and estrogens, 18:45
 and estrogens, 18:99
 and griseofulvin, 18:17
 lomustine for, 18:102
 immunotherapy for, 18:83
 and oral contraceptives, 18:22
 prostatic
 and radiation, 19:92
 radioimmunoassay for detection of,
 21:90
 and vitamin A, 22:19
 Candidiasis
 see also Antimicrobials
 systemic and Monistat i.v., 21:31
 treatment of, 21:39
 vulvovaginal
 clotrimazole for, 18:66
 Canesten, 18:66, 101
 Cannabis, 18:69
 abuse, 22:73
 as antiemetic, 22:41
 and sexual dysfunction, 22:109
 Capastat, 19:98
 Capital with Codeine Suspension,
 20:96
 Capreomycin, 19:98
 Captopril for hypertension, 22:39
 Carbamazepine
 for epilepsy, 18:26, 21:26
 and lithium, 22:18
 Carbenicillin
 for meningitis, 21:45
 and ticarcillin, 19:17, 28
 Carbidopa, 20:16, 21:37, 22:51
 for Parkinson's disease, 18:117
 Carbinoxamine maleate, 19:78
 Carbocaine, 19:4
 Carbon monoxide poisoning
 hyperbaric oxygen for, 20:52
 Carcinogens
 drugs as, 18:74
 griseofulvin as, 18:17
 metronidazole as, 21:90
 saccharin as, 19:75
 sassafras as, 21:30

- Cardiac decompensation
dobutamine for, 27:15
- Cardiovascular disease and coffee,
19:65
correction, 19:80
- Cardiovascular fitness
and exercise, 20:53
- Cardiovascular toxicity of plant
products, 27:30
- Caries prevention
and xylitol, 19:79
- Carmustine, 20:79
- Casts, fiberglass, 18:52
- CAT scanning, 18:79
- Catapres, 18:56, 19:81, 21:100,
22:108
- Cataract surgery
and lens implantation, 19:67
- Cathartics, plant products as, 27:29
- Cecilor, 21:85, 22:68
- CeeNU, 18:102
- Cefacetril, 18:33
- Cefaclor, 21:85
for chronic bronchitis, 22:68
- Cefadroxil, 21:85
- Cefadyl, 18:33
- Cefamandole, 18:33, 21:13
- Cefazolin, 18:33
- Cefazolin, 18:33
- Cefixitin, 18:33, 21:13
- Celestone, 19:86, 22:52
- Celontin, 18:27
- Celospor, 18:33
- Cephalexin, 18:33, 21:85
- Cephaloglycin, 18:33
- Cephaloridine, 18:33
- Cephalosporins, 18:33, 33, 19:17,
21:13, 22:68
and colitis, 21:97
oral, 21:85
for wound irrigation, 19:84
- Cephalothin, 18:33, 19:17
- Cephapirin, 18:33
- Cephadrine, 18:33, 21:85
- Cephulac, 18:33
- Cerebral function, 18:38
see also Psychiatric disorders
- Cerespan, 18:38
- Cerubidine, 22:34, 101
- Cervical dilatation, 19:25
- Cetamide, 18:71, 22:96
- Chamomile, 21:30
- Charcoal, activated
for treatment of poisoning, 27:70
- Chemical thermometers, 27:19, 32
- Chemotherapy of tuberculosis, 19:97
- Cheracol, 21:104
- Cheracol D, 21:104
- Chloral hydrate, 19:48
- Chloramphenicol, 18:33, 19:48, 95
and colitis, 21:97
and conjunctivitis, 18:71
ophthalmic formulations, 22:96
for pneumonia, 19:103
- Chloraseptic DM Cough Control
Lozenges, 21:104
- Chlordiazepoxide, 18:60, 19:14, 48,
49, 92, 20:31, 51
see also Psychiatric disorders
and effects on driving, 19:99
and sexual dysfunction, 19:82,
22:73, 77, 109
- Chlorhexidine, 18:85, 19:83
- Chloromadinone acetate, 18:22
- Chloromycetin, 18:33, 71, 19:48, 95,
103, 21:97
Ophthalmic Ointment, 22:96
- Chloromyxin, 22:96
- Chloroptic, 18:71
- Chlorotrianisene, 18:46
- Chlorpheniramine maleate, 19:78,
21:24
- Chlorpromazine, 18:7, 19:27, 47, 22:4
and orthostatic hypotension, 20:16
and sexual dysfunction, 22:109
- Chlorpropamide, 19:25, 47
for diabetes mellitus, 18:54
- Chlor-PZ, 18:7, 19:27, 47, 20:16,
22:4, 109
- Chlorthalidone, 21:40
and sexual dysfunction, 19:82,
22:109
- Chlor-Trimeton, 19:78, 21:24
- Expectorant, 21:104
- "Chokes," 20:51
- Cholecystography, 19:36
- Cholecystokinin, 19:36
- Cholelithiasis, 19:46
- Cholesterol, elevated
dextrothyroxine for, 18:53
and diet, 18:81
- HDL, 21:2
hypolipidemic agents and
gallstones, 19:46
lipid-lowering drugs, 22:65
probucol for, 19:41
- Cholestyramine, 18:53, 19:41, 22:65
for colitis, 21:98
and gallstones, 19:46
- Choline
for senile dementia, 20:75
for tardive dyskinesia, 21:35
- Choline magnesium trisalcylate,
20:100
- Choline salicylate, 18:119
- Cholinergic drugs for heartburn, 22:27
- Choloxin, 18:53
- Chronulac, 22:2
- Cigarettes
stopping smoking, 20:107
- Cimetidine, 19:29
adverse effects of, 20:77
for heartburn, 22:27
and sexual dysfunction, 22:109
- Cinnamates, 21:46
- Cis-diamminedichloroplatinum, 21:33
- Cisplatin for metastatic testicular and
ovarian cancer, 21:33
- 13-cis-retinoic acid for acne, 22:32
- Clemastine, 21:24
- Cleocin, 18:33, 20:35, 21:97
- Cleocin T, 21:107
- Clindamycin, 18:33
for acne, 20:35, 22:107
and colitis, 21:97
- CLINIC I, 27:20
- Clintemp Fever Detector, 21:20, 32
- Clinoril, 21:1, 82, 22:29
- Clistin, 19:78
- Clistin R.A. Tablets, 19:78
- Clofibrate, 18:53, 22:65
and gallstones, 19:46
and sexual dysfunction, 22:110
- Clomid, 20:41
- Clomiphene citrate, 20:41
- Clonazepam, 19:50
for epilepsy, 18:18, 27, 21:27
- Clonidine for migraine, 18:56
for opiate withdrawal, 21:100
and sexual dysfunction, 19:81,
22:108
- Clonopin, 18:18, 27, 19:50, 21:27
- Clorazepate, 19:48, 49, 92
see also Psychiatric disorders
- Clostridial cellulitis
hyperbaric oxygen for, 20:52
- Clotrimazole, 18:66, 101
for candidiasis, 21:39
for fungal infections, 20:68
- Cluster headache, 21:78
- Coal tar products
for dandruff, 19:64
- Cocaine, 21:18
abuse of, 19:15
- Coccidioidomycosis
Monistat i.v. for, 21:31
- Codeine, 19:14
with acetaminophen for pediatric
use, 20:96
in cough remedies, 21:103
- Coffee
and alcohol, 19:47
in breast milk, 21:23
and cardiovascular disease, 19:65
correction, 19:80
- Cogentin, 21:38, 22:109
- Colchicine for acute gouty arthritis,
18:50
- Colestid, 19:46, 22:65
- Colestipol, 19:46, 22:65
- Colitis from antibiotics, 21:97
- Collagen, purified, 19:28
- Colon cancer
see also Cancer
immunotherapy for, 18:84
- Colrex Syrup, 21:104
- Compazine, 18:7, 22:41
- Computed axial tomography, 18:79
- Conar, 21:104
- Conceptral, 22:91
- Confdelle pregnancy test, 20:39
- Congestive heart failure
vasodilator drugs for, 20:89
- Conjugated estrogens, 18:45
- Conjunctivitis, 22:96
drugs for, 18:70
- Consolus, 21:104
- Constipation
drugs causing, 19:73
lactulose for, 22:2
stool softeners for, 19:45
- Contraceptives
failure rates, 22:91
intrauterine devices, 22:86
intrauterine, Progestasert as, 18:65
oral, for acne, 22:32
oral, adverse effects of, 18:21
oral, and effects on laboratory tests,
21:54
topical, Encare Oval as, 20:29
topical spermicides, 22:90
- Contrast media
metrizamide, 22:56
- Copper oleate, topical, 19:19
- Coppertone QT, 21:47
- Cordran, 19:86, 22:52
- Corgard, 22:33
- Coricidin Cough Syrup, 21:104
- Coronary artery disease, 18:53, 22:65
arteriography, 18:57
and exercise, 20:53
and HDL, 21:2
and hyperlipidemia, 19:41
surgery, 18:57
thallium 201 for diagnosing, 21:49
- Cortaid, 22:38
- Cortef, 19:86, 22:52
- Corticosteroids
anabolic, 18:120
beclomethasone for asthma, 18:76
and conjunctivitis, 18:71
for respiratory distress syndrome,
18:59
for tennis elbow, 19:34
topical, 19:85, 20:112, 22:38, 51
cost, 22:52
- Coryban-D Cough Syrup, 21:104
- Corynebacterium parvum
in immunotherapy, 18:83
- Cost
of antimicrobials for otitis media,
22:14
of benzodiazepines, 20:32
of calcitriol, 21:51
of cefaclor, 21:87
of cefadroxil, 21:86
- of cephalosporins, 21:15
of dantrolene, 22:62
of lactulose, 22:3
of nonprescription hydrocortisone,
22:39
of nonsteroidal anti-inflammatory
drugs for rheumatoid arthritis, 22:29
of oral antihistamines, 19:78
of oral erythromycin, 20:95
of oral iron preparations, 20:46
of phenytoin, 22:50
of sulindac, 21:2
of thallium 201, 21:50
ticarcillin vs. carbenicillin, 19:18
of topical corticosteroids, 19:86,
22:52
of trimethoprim, 22:70
of trimipramine, 22:16
- Cotussis, 21:104
- Cough remedies, 21:103
- C-Quens, 18:22
- Crotamiton, 19:19
- Cruex, 18:101
- Cryptococcosis
Monistat i.v. for, 21:31
- Cu-7, 22:87
- Cuemid, 18:53, 19:41, 46, 21:98,
22:65
- Cuprex, 19:19
- Cuprimine, 20:73
- Curette, 19:25
- Cyanide poisoning
from sodium nitroprusside, 18:68
- Cyclacillin, 22:13
- Cyclandelate, 20:11
for senile dementia, 18:38
- Cyclapen, 22:13
- Cyclobenzaprine, 20:12
and sexual dysfunction, 22:109
- Cyclocort, 22:51
- Cyclomen, 19:62
- Cyclophosphamide, 20:74
- Cycloserine, 19:98
- Cyclospasmol, 18:38, 20:11
- Cylert, 18:5, 19:54, 20:75
- Cyproheptadine, 19:78, 22:4
for migraine prophylaxis, 18:55
- Cystic fibrosis
screening for, 18:35
- Cystitis, interstitial
dimethyl sulfoxide for, 20:76
- Cytarabine, 21:17
- Cytomegalovirus, 21:17
- Cytomel, 19:51
- Cytosine arabinoside, 21:17
- Cytoxan, 20:74
- Dacryocystitis, 18:71
- Daliderm, 18:101
- Dalkon, 22:91
- Dalmane, 18:60, 19:14, 50, 20:31
see also Psychiatric disorders
- Danazol for endometriosis, 19:62
- Dandruff, treatment of, 19:63
- Danex, 19:64
- Danocrine, 19:62
- Danthron, 19:45
- Dantrium, 20:43, 22:61
- Dantrolene
for malignant hyperthermia, 22:61
for spasticity, 20:43
- Darvon, 19:14, 20:16
- Datril, 18:73, 20:61, 104, 21:81
overdose, 21:98
- Datril 500, 20:61
- Daunorubicin, 22:34, 101
- DayCare, 21:104
- DBI, 18:25, 48
- DC countershock
for arrhythmias, 19:101

- DDAVP, 20:26
DDP, 21:33
Deaner, 19:55, 21:35
Deanol, 19:55
for tardive dyskinesia, 21:35
Desipri-ST, 19:61, 20:75
Debridement of wounds
dextranomer for, 20:47
Debrisan, 20:47
Decaderm, 19:86, 22:52
Decadron, 19:86, 20:103, 22:52
Decaffeinated coffee
and cardiovascular disease, 19:65
Decapryn, 19:78
Decarboxylase inhibitors
in Parkinson's disease, 21:37
Decompression sickness, 20:51
Decongestants, 21:103
Delestrogen, 18:46
Delfen, 22:91
Delta-9-tetrahydrocannabinol,
18:69, 22:41, 73, 109
Dementia, senile
see also Psychiatric disorders
ergot alkaloids for, 19:61
Gerovital for, 21:4
stimulants for, 20:75
Demerol, 18:47, 19:27
Demser, 22:28
Dental caries
prevention with xylitol, 19:79
Depakene, 19:93, 21:27
Depo-Provera, 18:22
Deprenyl for Parkinson's disease, 21:38
Depression
see also Psychiatric disorders
drugs for, 20:49
Gerovital for, 21:4
lithium for, 22:17
MAO inhibitors for, 22:58
and reserpine, 18:19
and sexual dysfunction, 22:109
tricyclic antidepressants, 22:58
physostigmine for overdosage,
22:55
trimipramine maleate, 22:16
Dermatoses
acne, 20:35, 22:31, 107
psoriasis, azarbine for, 18:7
seborrheic dermatitis, 19:64
tinea, griseofulvin for, 18:17
tinea pedis and cruris, 18:101
DES, 18:22
Desenex, 18:101
Desensitization
to Hymenoptera stings, 20:55
to penicillin, 20:14
Desiccated thyroid preparations, 19:50
Desmethyldiazepam, 19:49
Desmopressin
for diabetes insipidus, 20:26
Deso-Creme, 18:101
Desonide, 19:86, 22:52
Desoximetasone, 19:85, 86, 22:52
Deter, 20:107
DEV, 22:93
Devices
automated eye refractors, 20:91
CAT scan, 18:79
corrective shoes, 21:91
IUDs, 18:85, 22:86
for monitoring blood pressure, 19:55
noncontact tonometer, 19:91
thermometers, new, 21:19, 32
Dexamethasone, 19:86, 20:103, 22:52
Dexbrompheniramine maleate, 19:78
Dexchlorpheniramine maleate, 19:78
Dexedrine, 18:5, 19:54
Dextranomer for wound debridement,
20:47
Dextroamphetamine, 18:5, 19:54
Dextromethorphan, 21:103
Dextrothroxine
for hyperlipidemia, 18:53
DiaBeta, 18:54
Diabetes insipidus
desmopressin for, 20:26
Diabetes mellitus
and diabetic retinopathy, 18:107
drug treatment of, 18:54
high-fiber diets for, 21:51
insulin for and effects on driving,
19:100
and phenformin, 19:25
Diabinese, 18:54, 19:25, 47
Diafen, 19:78
Diagnostic techniques
amniocentesis, 20:93
antimicrobial susceptibility tests,
22:22
blood pressure monitoring, 19:55
for carcinogenicity, 18:74
cholecystography, 19:36
coronary arteriography, 18:57
for cystic fibrosis, 18:35
effects of oral contraceptives on,
21:54
eye refraction, automated, 20:91
for HDL levels, 21:3
Hemoccult II for colorectal cancer,
21:36
for hypersensitivity to bee stings,
20:54
for hypersensitivity to penicillin, 20:14
noncontact tonometer for
intraocular pressure, 19:91
pregnancy, 20:39
radioimmunoassay for prostatic
cancer, 21:90
sinalide for postevacuation
cholecystography, 19:36
stress test, 20:53
thallium 201 for CHD, 21:49
thermometers, new, 21:19, 32
tomography, 18:79
Dialysis, peritoneal
for end-stage renal disease, 21:69
Diapid, 20:26
Diarrhea
from intestinal bypass for obesity,
20:34
loperamide for, 19:73
travelers', 18:86, 21:41
from xylitol, 19:80
Diazepam, 18:18, 60, 19:49, 92,
20:31, 51, 22:73
see also Psychiatric disorders
and effects on driving, 19:99
for epilepsy, 18:27, 21:27
interaction with alcohol, 19:47
in phenylchloride overdosage, 19:71
preoperative, 19:26
and sexual dysfunction, 19:82,
22:109
for spasticity, 20:43
Diazoxide for hypoglycemia, 20:110
Dibenzylamine, 22:108
Dibronel, 20:78
Diet
and elevated cholesterol, 18:81
fructose, 22:100
high-fiber and diabetes, 21:51
and hyperactivity, 20:55
for obesity, 19:69
and Parkinson's disease, 18:118
and phenylpropanolamine and
benzocaine, 21:65
plant products, 21:29
in pregnancy, 20:65
and sodium, 22:14
soy-based formulas, 18:104
tyramine and MAO inhibitors, 18:32,
22:59
vegetarian, 21:62
and vitamin A, 22:19
Diethylstilbestrol, 18:22
Diflorasone diacetate, 20:112, 22:52
DigiTec Portable, 21:20
Digoxin in elderly patients, 21:44
Dihydrogenated ergot alkaloids,
18:39, 19:61, 20:75
1,25-dihydroxycholecalciferol, 21:50
Dilantin, 18:23, 25, 19:48, 54, 71,
21:25, 22:18
vs. generic phenytoin, 22:49
Kapseals, 22:49
Dilution tests, tube and plate, for
antimicrobial susceptibility, 22:24
Dimetane, 19:78
Dimetane Extentabs, 19:78
Dimethindene maleate, 19:78
Dimethisterone, 18:23
Dimethyl sulfoxide, 20:76, 22:94
Diethyl sodium sulfosuccinate, 19:45
Diopteron, 20:91
Dioxylone phosphate
for senile dementia, 18:38
Diphenhydramine, 19:78, 100, 22:4
and sexual dysfunction, 22:109
Diphenoxylate, 18:87, 19:73, 21:42
Diphenylhydantoin
see Phenytoin
Diphenylpyraline HCl, 19:78
Diprosone, 19:86, 22:52
Dipyridamole after myocardial
infarction, 22:25
Disalcid, 20:100
Disc diffusion test
for antimicrobial susceptibility, 22:23
Disipal, 21:38, 22:101
Disomer Chronotabs, 19:78
Disopyramide
and sexual dysfunction, 22:110
for ventricular arrhythmias, 19:101
Disulfiram, 19:47, 22:1
Diulo, 21:40
Diuresis
Diuretics
in breast milk, 21:22
in elderly patients, 21:44
and orthostatic hypotension, 20:16
and photosensitivity reactions, 22:64
plant products as, 21:29
thiazide
and metolazone, 21:40
and sexual dysfunction, 19:82
DMSO, 20:76, 22:94
Dobutamine, 21:15
Dobutrex, 20:89, 21:15
Dormine Medicated Shampoo, 19:64
Domperidone for Parkinson's disease,
21:38
Dopamine, 21:15
in congestive heart failure, 20:89
Dopar, 18:117, 20:16, 21:37,
22:60, 110
Dorcol Pediatric, 21:104
Down's syndrome
and amniocentesis, 20:93
Doxepin, 19:100
Doxidan, 19:45
Doxycycline for travelers' diarrhea,
21:41
Doxylamine succinate, 19:78
DPT, 19:27
Dristan Cough Formula, 21:104
Driving ability
effects of drugs on, 19:99
Droperidol, 19:27
DRUG ABUSE, 19:13, 22:73
NOTE: Issues 472 and 565 are
devoted entirely to the diagnosis and
management of reactions to drug
abuse. The drugs of abuse and signs
of acute intoxication, overdose and
withdrawal are given. The drugs are
not indexed separately.
clonidine for opiate withdrawal,
21:100
cocaine, 21:18
heroin and LAAM, 20:40
marijuana, 18:69
and nalbuphine, 21:83
phenylchloride, 19:70
and sexual dysfunction, 19:82
Drug interactions
see Interactions of drugs, adverse
Drugs and driving, 19:99
Drysol, 19:20
DSS, 19:45
Duranest, 19:4
Duricef, 21:85
Dymelor, 19:25
Dysentery, 21:42
Dysmenorrhea, 21:81
and endometriosis, 19:62
Ear infections, 20:59
Early pregnancy test, 20:39
Econochlor, 18:71
Edecrin, 21:40
E.E.S., 20:95
Elavil, 19:100, 22:16, 55, 109
Elderly patients and drugs, 21:43
Electroconvulsive therapy
for depression, 20:50
Electronic thermometers, 21:19
Elspar, 20:103
Emboli and heparin, 19:31
Emergence delirium and ketamine,
19:59
Emko, 22:91
Emko Pre-fil, 22:91
E-Mycin, 20:95
Encare, 20:29, 22:91
Encare Oval, 20:29, 22:91
Encephalitis, herpes simplex, 21:17
Encephalopathy, hepatic
lactulose for, 18:3
Endometrial carcinoma, 18:22
Endometriosis, treatment of, 19:62
Enteritis from intestinal bypass for
obesity, 20:34
Enterotoxigenic E. coli
treatment of, 21:41
Epilepsy
clonazepam for, 18:18
DRUGS FOR, 18:25, 21:25
NOTE: Issues 448 and 527 are
devoted entirely to the treatment of
epilepsy, including the drugs of choice
for each seizure disorder, adult and
pediatric dosages and adverse effects.
The drugs are also indexed separately.
sodium valproate for, 19:93
Epinephrine
for glaucoma, 20:109
for Hymenoptera stings, 20:54
e.p.t. pregnancy test, 20:39
Equanil, 19:48
Ergomar, 18:55
Ergot alkaloids, 18:55
bromocriptine, 19:103
for senile dementia, 18:39, 19:61,
20:75
Ergotamine tartrate
for migraine, 18:55
Erythrocine, 20:95
Erythromycin
for acne, 20:35, 22:32, 107
base, cost, 20:95
estolate, 20:95
ethylsuccinate, 20:95
for gonorrhea, 18:29, 19:107
ophthalmic, 22:96

- oral, 20:94
for pneumonia, 19:103
stearate, cost, 20:95
for syphilis, 18:29, 19:106
Eskalith, 19:82, 20:50, 21:78, 22:17
Esophageal reflux, drugs for, 22:26
Estinyl, 18:46
Estrace, 18:45
Estradiol, 18:45
Estrogens
adverse effects of, 18:21
for osteoporosis, 18:99
for postmenopausal osteoporosis, 22:45
replacement therapy, 22:57
synthetic vs. natural, 18:45
Estrone, 18:46
Estrovis, 22:57
Ethacrynic acid, 21:40
Ethambutol, 19:97
Ethanol
for handwashing, 18:85
for preterm labor, 18:42, 22:89
Ethavrine hydrochloride
for senile dementia, 18:38
Ethinyl estradiol, 18:21, 46
Ethinamide, 19:98
and sexual dysfunction, 22:110
Ethopropazine, 21:38
Ethosuximide, 19:93
for epilepsy, 18:18, 27, 21:27
Ethrill, 20:95
Etidocaine, 19:4
Etifronate disodium
for Paget's disease, 20:78
Euglucon, 18:54
Eurax, 19:19
Euthroid, 19:51
Eutonyl, 18:32
Evacuation, suction, 19:25
Exercise
for hypertension, 20:62
and oxygen, 20:28
for tennis elbow, 19:33
tests, 20:53
tests vs. thallium scans, 21:50
Expectorants, 21:103
Extra-Strength Tylenol, 20:61
Eye
adverse ocular effects of systemic drugs, 18:63
bacterial conjunctivitis, drugs for, 18:70
glaucoma, timolol for, 20:109
herpes keratitis
trifluridine for, 22:46
vidarabine for, 19:42
keratomycosis, natamycin for, 21:79
lens implantation, 19:67
myopia, radial keratotomy for, 22:97
noncontact tonometer, 19:91
ophthalmic chloramphenicol, 22:96
refraction, automated, 20:91
Fasting in obesity, 19:69
Feingold diet, 20:55
Fenfluramine and sexual dysfunction, 22:109
Fenoprofen, 18:77, 21:1
for dysmenorrhea, 21:82
for rheumatoid arthritis, 22:29
Fentanyl, 19:27
Ferrocobaltate, 20:46
Ferroglucose sulfate complex, 20:46
Ferrous sulfate, 20:46
Fever Scan, 21:20
Fever Tester, 21:20
Flagyl, 18:40, 67, 19:48, 21:89, 98
Flexeril, 20:12, 22:109
Florone, 20:112, 22:52
Fluax, 22:92
Flucytosine, 20:67, 21:31
Fluid and electrolyte loss
oral replacement, 21:42
Flumethasone pivalate, 19:86, 22:52
Flunitrazepam, 19:50
Fluocinolone, 19:86
Fluocinolone acetonide, 19:86, 22:52
Fluocinonide, 19:86, 20:112, 22:52
Fluogen, 22:92
Fluonid, 19:86, 22:52
Fluoride for osteoporosis, 18:99, 22:45
Fluorometholone, 19:86, 22:52
Fluorosis, 18:100
Fluphenazines
see also Psychiatric disorders
for schizophrenia, 18:6
Flurandrenolide, 19:86, 22:52
Flurazepam, 18:60, 19:50, 20:31
see also Psychiatric disorders
Flurobate, 19:86
Fluzone, 22:92
Foot deformities
and corrective devices, 21:91
Foot Guard, 18:101
Forhstal, 19:78
Forhstal Lontabs, 19:78
Formula 44 Cough Discs, 21:104
Formula 44-D, 21:104
Formulas for infants, 18:104
Fostex, 19:64
Frostbite, treatment of, 18:105, 22:112
Fructose for weight reduction, 22:100
Fulvicin-U/F, 18:17, 102, 19:47
Fungal infections
see also Antimicrobials
Candida, 21:39
drugs for, 20:66
metronidazole for, 21:89
systemic, Monistat i.v. for, 21:31
Fungizone, 20:66, 21:31, 39
Furadantin, 18:3, 19:88, 22:36
Furazolidone, 18:32, 19:48
for giardiasis, 18:40
Furosemide, 21:40, 22:21
Furoxone, 18:32, 40, 19:48
Galactorrhea
bromocriptine for, 19:103
Gallbladder disease and
cholecystography, 19:36
Gallstones
and hypolipidemic agents, 19:46
and oral contraceptives, 18:22
Gamene, 19:18
Gamma benzene hexachloride, 19:18, 22:67
Gantrisin, 18:33, 44
Garamycin, 18:35, 97, 19:17, 83, 95, 21:52, 22:85, 96
Gas gangrene, hyperbaric oxygen for, 20:52
Gastric acidity
cimetidine for, 19:29
Gastric bypass for obesity, 20:35
Gastroesophageal reflux, drugs for, 22:26
Genapax, 21:39
Genetic disorders and amniocentesis, 20:93
Genesis, 18:45
Genital infections and herpes
simplex, 19:52
Gentamicin, 18:35, 97, 19:17, 95, 22:85
in neonatal meningitis, 21:52
ophthalmic, 22:96
topical, 19:83
Geopen, 19:17, 28, 21:45
Geritol, 20:45
Gerovital H3, 21:4
GG Tussin, 21:104
GH3, 21:4
Giardiasis, 18:39
metronidazole for, 21:89
Ginseng, 21:30, 22:72
Glaucoma
noncontact tonometer for, 19:91
timolol maleate for, 20:109
Glibenclamide
for diabetes mellitus, 18:54
Glyburide, 18:54
Gonorrhea, 18:30, 19:105, 21:66
see also Antimicrobials
Gout, drugs for, 18:49
Grafo-Monitor, 19:56
Grafting of bone marrow, 20:98
Griseofulvin, 18:17, 102, 19:47
Gris-PEG, 18:17
Growth failure and zinc deficiency, 20:58
Growth hormone deficiency
Asellacrin for, 19:57
Guafenesin, 21:103
Guanethidine
and orthostatic hypotension, 20:16
and sexual dysfunction, 19:81, 22:108
Guar gum and diabetes, 21:51
Guillain-Barré syndrome, 22:92, 94
Gyne-Lotrimin, 18:66, 21:39
Gynergen, 18:55
Halcinonide, 19:86, 22:52
Halcion, 19:50
Haldol, 19:99, 20:16, 22:18
Halls Cough Formula, 21:104
Hallucinogens
see also Drug abuse
phenylcyclidine, 19:70
plant products as, 21:29
Halog, 19:86, 22:52
Haloperidol, 19:99, 22:18
and orthostatic hypotension, 20:16
Haloprogyn, 18:101
Halotex, 18:101
Handwashing, antiseptics for, 18:85
Hay fever, antihistamines for, 19:77
H-BIG, 20:9
HDCV, 22:93
HDL cholesterol, 21:2
Head & Shoulders, 19:64, 20:59
Headache
cluster, 21:78
migraine, 18:55, 21:77
"Health foods"
ginseng, 22:72
toxic reactions to, 21:29
and vitamin A toxicity, 22:19
Heartburn, drugs for, 22:26
Hemocult II, 21:36
Hemodialysis, chronic
and calcitriol, 21:50
Hemophilia
desmopressin for, 20:27
Hemorrhage
and heparin, 19:32
retinal, and photocoagulation, 18:107
Hemorrhoids
and Preparation H, 18:108
Hemostatic agents, 19:28
Heparin
administration and monitoring, 19:31
low-dose prophylaxis, 19:71
for pulmonary emboli, 20:37
Hepatic disease
encephalopathy, lactulose for, 18:3
and sodium valproate, 19:93
and sulfosuccinate stool softeners, 19:45
Hepatitis
B immune globulin, 20:9
and blood donation, 22:99
from isoniazid, 19:98
Hepatotoxicity
of acetaminophen, 20:61
of isoniazid, 19:98
Herbal teas, adverse effects of, 21:29
Heroin
see also Drug abuse
and sexual dysfunction, 22:110
withdrawal
clonidine for, 21:100
LAAM for, 20:40
Herpes simplex
encephalitis, 21:17
genital, and cervical cancer, 19:52
keratitis
trifluridine for, 22:46
vidarabine for, 19:42
Herpes zoster, 21:17
Herplex, 19:42
Hexachlorophene, 18:83
for handwashing, 18:85
Hexadrol, 19:86, 22:52
Hi/Lo Baumanometer, 19:55
Hibiclen, 18:85, 19:83
Higgs Set, 19:56
High density lipoproteins, 21:2
Hiprex, 18:3
Hispril, 19:78
Histadyl, 19:78
Histamine H₂-receptor antagonists, 19:29
Hodgkin's disease
see also Cancer
carmustine for, 20:79
and splenectomy, 19:2
Honeybee Venom Diagnostic Kit, 20:54
Hormones
in breast milk, 21:23
human growth, 19:57
in plant products, 21:30
progesterone, in Progestasert, 18:65
thyroid, 18:53
Hormonin, 18:46
HPV 77, 21:53
HRIIG, 19:44
HSV-2 and cervical cancer, 19:52
Human growth hormone, 19:57
Huntington's chorea
baclofen for, 20:44
Hydatidiform mole
prostaglandin E₂ for, 19:89
Hydrgene, 19:61, 20:75
for senile dementia, 18:39
Hydralazine
in congestive heart failure, 20:90
and sexual dysfunction, 22:109
Hydrochlorothiazide, 21:40
and sexual dysfunction, 19:82
Hydrocortamate, 19:86
Hydrocortisone, 19:86
topical, 22:38, 52
Hydrodiuril, 19:82, 21:40
Hydromox R, 18:20
Hydroserp, 18:20
Hydroserpine, 18:20
Hydroxocobalamin
for cyanide poisoning, 18:68
Hydroxyprogesterone caproate
and sexual dysfunction, 22:110
Hydroxyurea, correction, 19:20
Hydroxyzine
for itching, 22:4
preoperative, 19:26
and sexual dysfunction, 22:109
Hygroton, 19:82, 21:40, 22:109
Hymenoptera stings
insect venom extracts for, 22:37
systemic reactions to, 20:54

- Hyperactivity
and diet, 20:55
drug treatment of, 19:53
and vitamin A toxicity, 22:19
Hyperbaric oxygen therapy, 20:51
Hypercholesterolemia
and diet, 18:81
drug treatment of, 18:53
Hyperglycemia
and diet, 21:51
drug treatment of, 18:54
Hyperhidrosis, 19:20
Hyperinsulinism
diazoxide for, 20:110
Hyperlipidemia
drug treatment of, 18:53
drugs for, and gallstones, 19:46
probucol for, 19:41
Hyperstat, 20:110
HYPERTENSION, DRUGS FOR, 19:21
NOTE: Issue 474 is devoted entirely to the drug treatment of hypertension. Drug dosages, adverse effects and some interactions are given. The drugs are not indexed separately.
captopril for, 22:39
devices for monitoring blood pressure at home, 19:55
drug treatment and sexual dysfunction, 19:81, 22:108
drugs for in breast milk, 21:22
drugs for in elderly patients, 21:44
metolazone for, 21:40
metoprolol for, 20:97
minoxidil for, 22:21
non-drug treatment of, 20:62
and oral contraceptives, 18:22
prazosin for, 19:1
reserpine for, 18:20
and salt restriction, 22:14
ticrynafen for, 21:61
Hypertensive crises caused by MAO inhibitors, 18:32
Hyperthermia, malignant, 22:61
Hypertriglyceridemia
clofibrate and gallstones, 19:46
Hyperuricemia
drugs for, 18:49
Hypnotics
see also Drug abuse and Psychiatric disorders
L-tryptophan as, 19:108
preoperative, 19:26
Hypocalcemia, calcitriol for, 21:50
Hypoglycemia
diazoxide for, 20:110
glyburide as, 18:54
interactions with alcohol, 19:48
phenformin and lactic acidosis, 19:25
Hypolipidemic agents, 22:65
dextrothyroxine, 18:53
and gallstones, 19:46
probucol, 19:41
Hypogonadism and zinc deficiency, 20:58
Hypopituitarism, 19:57
Hypotension, drugs causing, 20:15
Hypothermia, treatment of, 18:105
Hypothyroidism
choice of preparations for, 19:50
Hytuss Tablets, 21:104

125 I fibrinogen, 20:63
Ibuprofen, 18:77, 20:74, 21:1
for dysmenorrhea, 21:81
for rheumatoid arthritis, 22:29
ICD, 19:61
Idiopathic Cerebral Dysfunction, 19:61
Idoxuridine, 19:42, 21:17
IDU, 19:42, 21:17
Ileocolic disease
control of diarrhea, 19:74
Ilosone, 20:95
Ilotycin, 20:95
Imipramine, 19:54, 100, 21:4, 22:16, 55
and sexual dysfunction, 22:109
Immunization
bacterial polysaccharide vaccines for
asplenic patients, 19:3
hepatitis, 20:9
influenza vaccine, 18:61, 22:91
measles vaccine, 21:102
meningococcal vaccines for
asplenic patients, 19:3
pneumococcal vaccine, 19:3, 103, 20:13, 22:114
rabies vaccine, 19:43, 22:93
rubella, 21:53
IMMUNIZATION FOR TRAVELERS, 21:57
NOTE: Issue 535 is devoted entirely to immunization for travelers. Recommendations are included for tetanus and diphtheria, polio, measles, hepatitis A, yellow fever, typhoid, plague, typhus, rabies, cholera, smallpox and chemoprophylaxis of malaria. A table of countries with a risk of malaria is also included.
Immunotherapy
for malignant disease, 18:83
Imodium, 19:73, 21:42
Impotence
drug related, 19:81, 22:108
and prostatectomy, 19:92
Imuran, 20:73
Immune human rabies globulin, 19:44
Immune human serum globulin, 20:9
Inapsine, 19:27
Inderal, 18:41, 56, 19:82, 20:97, 21:77, 88, 101, 22:21, 33, 109
Indocin, 18:50, 77, 19:34, 20:74, 21:82, 22:18, 111
Indomethacin, 18:77, 19:34, 20:74, 22:18, 111
for acute gouty arthritis, 18:50
for dysmenorrhea, 21:82
Influenza
A, amantadine for, 20:25
vaccine, 18:61, 22:91
Innovar, 19:27
Insect venom extracts, 20:54, 22:37
Insomnia
see also Psychiatric disorders
benzodiazepines for, 19:49
lorazepam for, 20:31
L-tryptophan for, 19:108
INTERACTIONS OF DRUGS, ADVERSE, 19:5, 21:5
NOTE: Issues 471 and 523 are devoted entirely to the adverse interactions of drugs. The drugs, adverse effects and probable mechanism are given. The drugs are not indexed separately.
alcohol and disulfiram, 22:2
alcohol and other drugs, 19:47, 100
desmopressin and other drugs, 20:27
lithium and other drugs, 22:18
MAO inhibitors and other drugs, 22:60
methylphenidate and other drugs, 19:54
psychiatric drugs, 22:77
sodium valproate and other drugs, 19:94
tyramine and MAO inhibitors, 18:32, 22:59
Intercept, 22:91
Intermittent claudication, vasodilators for, 20:11
Interstitial cystitis, 20:76
Intestinal bypass for obesity, 20:33
Intralumbar therapy of meningitis, 19:94
Intraocular lens implantation, 19:67
Intrauterine devices, 22:86
Progesterone, 18:65
Intravenous solutions
plastic containers for, 22:43
Intraventricular therapy
gentamicin in neonatal meningitis, 21:52
in meningitis, 19:94
Intropin, 20:89, 21:15
Iodine, 19:83
Iodine 125
for prostatic cancer, 19:92
Iodophors, 19:83
for handwashing, 18:85
Ionil, 19:64
Iophendylate, 22:56
Ipecac syrup for poisoning, 21:70
Iron
oral preparations, 20:45
parenteral, adverse effects of, 19:35
in pregnancy, 20:65
Iron-deficiency anemia, 19:35, 20:45
Ischemia
peripheral arterial disease, drugs for, 20:11
transient ischemic attacks, 22:71
ISG, 20:9
Ismelin, 19:81, 20:16, 22:108
Isocarboxazid, 18:32, 22:58, 77
Isomil, 18:104
Isoniazid, 19:48
for tuberculosis, 19:97
Isopropyl alcohol
for handwashing, 18:85
Isordil, 20:90, 21:88
Isoproterenol, 21:15
Isosorbide dinitrate, 20:90
for angina, 21:88
Isoxsuprine, 20:11, 22:90
Isuprel, 21:15
Itching, 22:4
IUDs, 22:86
Progesterone as, 18:65
IVAC 811 & 821, 21:20
Ivadin, 22:36

"Jock itch," 18:101

Kafocin, 18:33
Kanamycin, 18:35, 97, 19:98
Kantrex, 18:35, 97, 19:98
Kaon-Cl, 20:30
Keflex, 18:3, 33, 21:85
Keflin, 18:33
Kefzol, 18:33
Kenalog, 19:86, 22:52
Keratoconjunctivitis
trifluridine for, 22:46
Keratomileusis, 22:97
Keratocystosis, 21:79
Keratolytic agents for dandruff, 19:64
Keratotomy, radial
for myopia, 22:97
Ketaject, 19:58
Ketalar, 19:58
Ketamine, 19:58
Kidney failure, calcitriol for, 21:50
Kinevac, 19:36
Koromex, 22:91
Koromex II, 22:91
Koromex II-A, 22:91

Kwell, 19:18, 22:67
Kwellada, 19:18

LAAM for management of opiate dependence, 20:40
Labor, preterm
ethanol for, 18:42
ritodrine for, 22:89
Laboratory tests, effects of oral contraceptives on, 21:54
Labtherm, 21:20
Lactation, prevention of, 22:48
Lactic acidosis and phenformin, 19:25
Lactulose
for constipation, 22:2
for hepatic encephalopathy, 18:3
L-alpha-acetylmethadol
for heroin withdrawal, 20:40
Larodopa, 18:117
Larotid, 18:33
Lasix, 21:40, 22:21
"Last Chance Diet, The," 19:69
Laxatives and sulfosuccinate stool softeners, 19:45
L-dopa, 18:117, 20:16, 21:37, 22:60, 110
Lecithin for tardive dyskinesia, 21:35
Legionnaires' disease, 19:102
see also Antimicrobials
Lens implantation, 19:67
Lergotril for Parkinson's disease, 18:118
Letter, 19:51
Leukemia
see also Cancer
asparaginase for, 20:103
bone marrow transplantation for, 20:98
Levamisole
in immunotherapy, 18:83
Levodopa, 21:37
and MAO inhibitors, 22:60
and orthostatic hypotension, 20:16
for Parkinson's disease, 18:117
and sexual dysfunction, 22:110
Levothyroxine (T₄), 19:51
Li-Ban Spray, 22:68
Lithium, 18:60, 19:48, 49, 82, 92, 99, 20:31, 51, 22:73, 109
see also Psychiatric disorders
Lice, treatment of, 19:18, 22:66
Licorice, 21:30
Lidex, 19:86, 20:112, 22:52
Lidocaine, 19:4, 101
prophylaxis for myocardial infarction, 18:1
Life Care, 22:43
Lightcast II casts, 18:52
Limbital, 20:49
Lincocin, 21:97
Lincomycin and colitis, 21:97
Lindane, 19:18, 22:67
Lioresal, 20:43, 21:35, 22:110
Liothyronine (T₃), 19:51
Liotrix, 19:51
Lipid-lowering drugs, 21:2, 22:65
dextrothyroxine, 18:53
and gallstones, 19:46
probucol, 19:41
Lipps Loop, 22:87
Liquiprin, 20:61, overdose, 21:98
Lithane, 19:82, 20:50, 21:78, 22:17
Lithium, 22:17
for depression, 20:50
for headache, 21:78
and sexual dysfunction, 19:82
Liver disease
and acetaminophen, 20:61
and intestinal bypass for obesity, 20:34

- Lobeline, 20:107
 Locorten, 19:86, 22:52
 Lomotil, 18:87, 19:73, 21:42
 Lomustine, 18:102
 Loniten, 22:21
 Loperamide, 21:42
 for diarrhea, 19:73
 Lopressor, 20:97, 21:24, 101, 22:109
 Lorazepam, 19:49, 20:31
 see also Psychiatric disorders
 Lorelco, 19:41, 22:66
 Loridine, 18:33
 Lotrimin, 18:66, 101, 20:68, 21:39
 LSD, 19:70
 L-tryptophan, 19:108
 Lung cancer
 see also Cancer
 immunotherapy for, 18:84
 Lymphatic leukemia
 see also Cancer
 immunotherapy for, 18:84
 Lypressin for diabetes insipidus, 20:26
- Macrodantin**, 22:36
 Mafenide, 19:83
 Magan, 20:100
 Magnesium salicylate, 20:100
 Malaria, 21:58
 see also Parasitic infections
 additional note, 21:72
 and blood donation, 22:99
 Malignant hyperthermia, 22:61
 Malignant melanoma
 see also Cancer
 immunotherapy for, 18:84
 Malnutrition from intestinal bypass for obesity, 20:34
 Mammography, 22:53
 Mandelamine, 18:3
 Mandol, 18:33, 21:13
 Mania, see Psychiatric disorders
 MAO inhibitors
 see also Psychiatric disorders
 for depression, 20:50, 22:58
 interactions with tyramine, 18:32, 22:59
 and levodopa, 18:118
 and sexual dysfunction, 19:82, 22:109
 Marcaine, 19:4
 Margarines in low-cholesterol diet, 18:81
 Marihuana, 18:69
 abuse, 22:73
 for nausea in cancer, 22:41
 and sexual dysfunction, 22:109
 Marplan, 18:32, 22:58
 Matulane, 18:32
 MBD, 18:5, 19:53
 Measles vaccine, 21:102
 Mecan, 22:107
 Meclocycline sulfosalicylate, 22:107
 Meclofenamate for arthritis, 22:111
 Meclofen, 22:111
 Meconium test strips
 for cystic fibrosis screening, 18:35
 Mecostix, 18:35
 Medazepam, 19:50
 Medrol, 19:86, 22:52
 Medroxyprogesterone acetate, 18:22
 Mefenamic acid, 20:104
 for dysmenorrhea, 21:81
 Mefoxin, 18:33, 21:13
 Megace, 18:22
 Megestrol acetate, 18:22
 Mellari, 19:82, 20:50, 22:4, 18, 109
 Meltrol, 19:25, 48
 Menest, 18:46
 Meningitis
 see also Antimicrobials
- carbenicillin for, 21:45
 choice of drugs for, 18:10
 intralumbar and intraventricular therapy of, 19:94
 neonatal and gentamicin, 21:52
 Meningococcal vaccines
 for asplenic patients, 19:3
 Meningovax, 19:3
 Menomune, 19:3
 Menopause
 and estrogens, 18:21, 46
 and osteoporosis, 18:46, 99
 Meperidine, 18:47, 19:27
 Mepivacaine, 19:4
 Meprobamate, 19:48
 Merbromin, 19:83
 Mercurials, organic, 19:83
 Mercurochrome, 19:83
 Mercury manometer, 19:55
 Mercury-in-glass thermometers, 21:19
 Menthilol, 19:83
 Meruvax II, 21:53
 Mescaline, 19:70
 Mestranol, 18:21
 Metaphen, 19:83
 Metatarsus adductus, 21:91
 Methadone
 in breast milk, 21:52
 and LAAM, 20:40
 and sexual dysfunction, 22:110
 withdrawal, 21:100
 Methadyl acetate
 for heroin withdrawal, 20:40
 Methapyrilene HCl, 19:78
 Methaqualone, 19:14
 Methdilazine HCl, 19:78
 Methenamine, 18:3
 Methionine for acetaminophen overdosage, 21:100
 Methohexital, preoperative, 19:26
 Methotrexate, 18:7
 Methsuximide for epilepsy, 18:27
 Methyldopa, 19:1, 100, 22:18
 and sexual dysfunction, 19:81, 22:108
 Methylphenidate, 18:5, 19:53, 20:55
 for senile dementia, 20:75
 Methylprednisolone acetate, 19:86, 22:52
 Methysergide for migraine, 18:55
 Metiamide, 19:29
 Meti-Derm, 19:86, 22:52
 Metoclopramide for heartburn, 22:27
 Metolazone, 21:40
 Metoprolol, 21:24, 101
 for hypertension, 20:97
 and sexual dysfunction, 22:109
 Metrazol, 20:75
 Metrizamide, 22:56
 Metronidazole, 19:48, 21:89
 for colitis, 21:98
 for giardiasis, 18:40
 for trichomoniasis, 18:67
 Metyrosine for pheochromocytoma, 22:28
 Mexaforme, 19:73
 MicaTin, 18:101, 21:39
 Miconazole, 18:101
 for candidiasis, 21:39
 for fungal infections, 20:68
 intravenous, 21:31
 Microfibrillar Collagen Hemostat, 19:28
 Migraine headache, 18:55, 21:77
 Miltown, 19:48
 Minimal brain dysfunction, 18:5, 19:53, 22:19
 Minipress, 19:1, 82, 20:16, 90
 Minor determinant mixture, 20:14
 Minoxidil, 22:21
 Mithracin, 20:42
 Mithramycin, 20:42
 M-M-R II, 21:53
- Mogadon, 19:50
 Monique Dandruff Control, 19:64
 Monistat 7, 21:39
 Monistat i.v., 21:31
 Mongolism, and amniocentesis, 20:93
 Monoamine oxidase inhibitors
 see also Psychiatric disorders
 for depression, 20:50, 22:58
 interactions with tyramine, 18:32, 22:59
 and levodopa, 18:118
 and sexual dysfunction, 19:82, 22:109
 Morphine, 18:47, 19:27
 vs. nalbuphine, 21:83
 Motrin, 18:77, 20:74, 21:1, 81, 22:29
 M-R-Vax II, 21:53
 Mucomyst, 21:98
 Multiple sclerosis
 baclofen for spasticity, 20:43
 Muscle relaxants, 20:12, 43
 Mutagenicity, chemicals causing, 18:75
 Myambutol, 19:97
 Myasthenia gravis
 plasmapheresis for, 21:64
 Mycelex, 20:68, 21:39
 Mycelex-G, 20:68, 21:39
 Mycoplasma pneumoniae pneumonia, 19:102
 Mycostatin, 18:67, 21:39
 Myelogenous leukemia
 see also Cancer
 immunotherapy for, 18:83
 Myelography, 22:56
 Myocardial infarction
 and antiplatelet drugs, 22:25
 and beta-blockers, 21:101
 and caffeine, 19:66
 nitroglycerin in, 18:37
 and oral contraceptives, 18:21
 pentazocine for, 18:46
 prophylactic lidocaine for, 18:1
 and propranolol withdrawal, 18:41
 thallium 201 for diagnosis, 21:49
 Myocardial ischemia
 thallium 201 for diagnosis, 21:49
 Myonecrosis, hyperbaric oxygen for, 20:52
 Myopia, radial keratotomy for, 22:97
 Myotonia, baclofen for, 20:44
 Mysoline, 18:26, 21:26
- Nadolol, 22:33
 Nalbuphine, 21:83
 Nalfon, 18:77, 21:1, 82, 22:29
 Nalidixic acid, 18:2
 Naloxone, 19:27, 21:83
 Naprosyn, 18:77, 21:1, 22:29, 82
 Naproxen, 18:77, 21:1
 for dysmenorrhea, 21:82
 for rheumatoid arthritis, 22:29
 Narcan, 19:27, 21:83
 Narcotics
 see also Addiction
 see also Drug Abuse
 analgesics, 18:46
 in breast milk, 21:23
 interactions with alcohol, 19:48
 parenteral, 21:83
 preoperative, 19:27
 Nardil, 18:32, 22:58, 77, 109
 Natacyn, 21:79
 Natamycin for keratomycosis, 21:79
 Naturetin, 21:40
 Navane, 22:4
 Nausea
 marihuana for, 22:41
 NCT, 19:91
- Nebcin, 18:35, 97, 19:17, 95, 22:85
 NegGram, 18:2
 Neomycin, 22:66
 for conjunctivitis, 18:71
 ophthalmic, 22:96
 Neo-polycin, 18:71
 Neosporin, 18:71
 Nephrotoxicity
 gentamicin vs. tobramycin, 22:85
 Neural tube defects
 and amniocentesis, 20:93
 Niacin, 18:53, 22:66
 Nicotine in breast milk, 21:23
 Nicotinic acid, 18:53, 22:66
 Nicotinic alcohol, 20:11
 Nilstat, 18:67
 Nipride, 18:68, 20:89
 Nitrates
 for angina, 21:88
 for congestive heart failure, 20:90
 Nitrazepam, 19:50
 Nitro-Bid, 20:90, 21:88
 Nitrofurantoin, 18:3, 19:88, 22:36
 Nitroglycerin
 in acute myocardial infarction, 18:37
 for angina, 21:88
 ointment, 20:90
 Nitrol, 21:88
 Nitromersol, 19:83
 Nitroprusside, 21:16
 in anesthesia, 18:68
 in congestive heart failure, 20:89
 in myocardial infarction, 18:37
 Nitrosoureas, 18:102
 Nobrium, 19:50
 Noctec, 19:48
 Nolvadex, 20:41
 Noncontact tonometer, 19:91
 Nonoxonyl-9, 20:29, 22:90
 Norethindrone, 18:23
 Norflex, 22:109
 Norpace, 19:101, 22:110
 Norquen, 18:23
 Noscapine, 21:103
 Novocain, 21:4
 Nubain, 21:83
 Numorphan, 21:83
 Nursing, infants, and drugs
 in breast milk, 21:21, 52
 Nutrition
 see Diet
 Nyldrin, 20:11
 Nyquil, 21:104
 Nystatin
 for candidiasis, 18:67
- Obesity**
 see also Diet
 bypass operations for, 20:33
 drug control of, 21:65
 and "protein-sparing" diets, 19:69
 Ocular disorders
 chloramphenicol, 22:96
 radial keratotomy for, 22:97
 trifluridine for, 22:46
 Ocular effects, adverse
 of systemic drugs, 18:63
 Ogen, 18:46
 One Step at a Time, 20:107
 Ophthalmetron, 20:91
 Ophthalmic drugs
 for bacterial conjunctivitis, 18:70
 chloramphenicol, 22:96
 natamycin for keratomycosis, 21:79
 trifluridine for herpes keratitis, 22:46
 vidarabine for herpes keratitis, 19:42
 Ophthalmologic examinations, 20:91
 Ophthalmologic surgery
 lens implantation, 18:67
 Ophthochlor, 18:71

- Opiate withdrawal
clonidine for, 21:100
LAAM for, 20:40
Optimine, 19:77
Oracon, 18:23
Orinase, 19:25, 47
Orphenadrine, 21:38
and sexual dysfunction, 22:109
Ortho-Creme, 22:91
Ortho-Gynol, 22:91
Orthokeratology, 22:97
Ortho-Novum SQ, 18:23
Orthopedic injuries
tennis elbow, 19:33
Orthostatic hypotension, drugs
causing, 20:15
Osteoarthritis, 18:77
meclofenamate for, 22:111
sulindac for, 21:1
Osteodystrophy, renal, 21:50
Osteomyelitis
hyperbaric oxygen for, 20:52
Osteoporosis, postmenopausal,
18:99, 22:45
and estrogens, 18:46, 99
Osteoradionecrosis
hyperbaric oxygen for, 20:52
Otitis media, 21:87
trimethoprim-sulfamethoxazole for,
20:59
Overdosage, see Poisoning
Oxalid, 18:51, 19:34
Oxazepam, 19:48, 49, 20:31
see also Psychiatric disorders
Oxolinic acid, 18:2
dosage correction, 18:20
Oxygen
use by athletes, 20:28
hyperbaric, 20:51
Oxylone, 19:86, 22:52
Oxymorphone, 21:83
Oxyphenbutazone, 19:34
for acute gouty arthritis, 18:51
Oxyphenisatin, 19:45
- PABA, 21:46**
Paget's disease, etidronate for, 20:78
Pangamic acid, 20:44
PanOxyl, 22:107
Panopaque, 22:56
Papaverine, 19:61, 20:11
for senile dementia, 18:38
Pap smears to detect cervical
carcinoma, 19:52
Para-aminobenzoic acid, 21:46
Para-aminosalicylic acid, 19:97
Paracetamol, 18:73, 20:61, 96, 104,
21:81, 98
Paracoccidiodomycosis
miconazole for, 21:31
Para-Medical, 19:55
**PARASITIC INFECTIONS, DRUGS
FOR, 20:17, 21:105**
*NOTE: Issues 499 and 547 are
devoted entirely to the treatment of
parasitic infections, including drugs
of choice, alternative drugs, adult and
pediatric dosages, and adverse ef-
fects of antiparasitic drugs. The drugs
are not indexed separately.*
giardiasis, 18:39
trichomonas vaginitis
clotrimazole for, 18:67
metronidazole for, 21:89
Paregoric, 21:42
Parenteral nutrition and zinc, 20:58
Pargyline, 18:32
Parkinson's disease, 18:117, 21:37,
22:51
bromocriptine for, 19:104
drugs for and orthostatic
hypotension, 20:16
Parlodel, 18:118, 19:103, 20:16,
21:38, 22:48
Parnate, 18:32, 22:58
Parsidol, 21:38
PAS, 19:97
Pavabid, 18:38
PCP, 19:70
Pediaquil, 21:104
Pediculosis, 19:18
Pelvic inflammatory disease from
IUDs, 22:87
Pemoline, 18:5, 19:54, 20:75
Penicillamine for rheumatoid arthritis,
20:73
Penicillin, 22:13
allergy desensitization, 20:14
and colitis, 21:97
G benzathine for syphilis and
gonorrhea, 18:29
G benzathine for syphilis prophylaxis,
18:44
for pneumonia, 19:102
for postsplenectomy prophylaxis, 19:3
for syphilis and gonorrhea, 19:105
Penicilloyl-polylysine, 20:14
Pentagastrin, 19:30
Pentazocine, 19:14, 20:111, 21:83
oral, 18:48
parenteral, 18:46
Pentobarbital, preoperative, 19:26
Pentylenetetrazol for senile dementia,
20:75
Peptavlon, 19:30
Pepto-Bismol, 21:42, 22:63
Perhexilene and sexual dysfunction,
22:110
Periactin, 18:55, 19:78, 22:4
Peritoneal dialysis for end-stage renal
disease, 21:69
Peritrate, 21:88
Persantine, 22:25
Pertussin 8-Hour, 21:104
Pexid, 22:110
Peyronie's disease, 21:24
Pfizer-E, 20:95
Pharmalgen, 22:37
Phencyclidine, 19:70
Phenelzine, 18:32, 22:58, 109
Phenergan, 19:27, 78, 22:4
Phenformin, 19:48
and lactic acidosis, 19:25
Phenobarbital for epilepsy, 18:26,
21:26
Phenothiazines, 19:99
see also Psychiatric disorders
in phencyclidine overdose, 19:71
for schizophrenia, 18:6
and sexual dysfunction, 22:109
Phenoxybenzamine and sexual
dysfunction, 22:108
Phentolamine, 18:32, 19:48, 21:16
Phenylbutazone, 19:34, 100, 21:1
for acute gouty arthritis, 18:51
Phenylpropanolamine for weight
control, 21:65
Phenytoin, 18:23, 19:48, 54, 22:18,
49
for epilepsy, 18:25, 21:25
in phencyclidine overdose, 19:71
Pheochromocytoma, metyrosine for,
22:28
pHiso Dan, 19:64
pHisoHex, 18:85, 19:83
Photocoagulation for diabetic
retinopathy, 18:107
Photosensitivity reactions, 22:64
Physostigmine
for senile dementia, 20:75
for tricyclic antidepressant
overdosage, 22:55
PID, 22:87
Pilocarpine for glaucoma, 20:109
Pink eye, 22:96
PiPeer, 19:55
Pitressin Tannate in Oil, 20:26
Pituitary ablation
for diabetic retinopathy, 18:108
Pituitary dwarfism, 19:57
Plant products
ginseng, 22:72
toxic reactions to, 21:29
Plasmapheresis for myasthenia gravis,
21:64
Plastic containers for IV solutions,
22:43
Platinol, 21:33
Pneumococcal vaccine, 19:103,
20:13, 22:114
for asplenic patients, 19:3
Pneumonia, 19:102
see also Antimicrobials
pneumococcal vaccine for, 20:13,
22:114
Pneumovax, 19:103, 20:13, 22:114
Pnu-Imune, 22:114
Poisoning
with acetaminophen, acetylcysteine
for, 21:98
carbon monoxide, 20:52
in children, activated charcoal for,
21:70
with iron, 20:47
with oxygen, 20:52
with plant products, 21:30
by snakes, 20:101
with tricyclic antidepressants,
physostigmine for, 22:55
with zinc, 20:58
Polaramine, 19:78
Polaramine Repetabs, 19:78
Polycillin, 18:33, 22:68
Polycillin-N, 19:95
Polymox, 18:33
Polysaccharides, nonabsorbable, and
diabetes, 21:51
Polythiazide, 21:40
Pondimin, 22:109
Ponstan, 20:104
Ponstel, 20:104, 21:81
Posterior pituitary extract
for diabetes insipidus, 20:26
Postural hypotension, drugs causing,
20:15
Potassium
in coffee, 19:65
supplementation and Slow-K, 20:30
Povidone-iodine, 19:83
for dandruff, 19:64
for handwashing, 18:86
PPL, 20:14
Practolol, 20:98, 21:101
Prader-Willi syndrome and "modified
fast" diets, 19:69
Prazepam, 19:50, 92
see also Psychiatric disorders
Prazosin
in congestive heart failure, 20:90
for hypertension, 19:1
and orthostatic hypotension, 20:16
and sexual dysfunction, 19:82
Prednisolone, 19:86, 22:52
Prednisone, 20:103
Pregnancy
nutrition in, 20:65
termination of, 19:89
tests, e.p.t. test, 20:39
Premarin, 18:23, 45
Preparation H, 18:108
Premature labor
ethanol for, 18:42
nitroderm for, 22:89
Pre-Pen, 20:14
Prepodyne, 19:83
Preterm labor
ethanol for, 18:42
nitroderm for, 22:89
Primidone for epilepsy, 18:26, 21:26
Probenecid
for gonorrhea, 18:30, 19:107
for gout, 18:49
Probucol, 22:66
for hypercholesterolemia, 19:41
Procainamide, 19:101
Procaine, as Gerovital H3, 21:4
Procarbazine, 18:32
Prochlorperazine, 18:7
for nausea in cancer, 22:41
Progesterone, 18:65, 22:87
Progesterone, in Progestasert, 18:65
Progestins for endometriosis, 19:62
Proglycem, 20:110
Prolixin, 18:6
Proloprim, 22:69
Promethazine, 19:27, 78, 22:4
Pronesty, 19:101
Prophylaxis
amantadine for influenza, 20:25
antimicrobial
after splenectomy, 19:2
after surgery, 19:37
of syphilis, 18:44
of travelers' diarrhea, 18:86
of hepatitis, 20:9
low-dose heparin, 19:71
of recurrent urinary tract infections,
19:88
of tuberculosis, 19:99
Propoxyphene and orthostatic hypo-
tension, 20:16
Propranolol, 20:97, 21:88, 101,
22:21, 33
for migraine, 18:56, 21:77
and sexual dysfunction, 19:82,
22:109
withdrawal before anesthesia, 18:41
ProSobee, 18:104
Prostaglandins for abortion, 19:26, 89
Prostatectomy vs. radiation therapy,
19:92
Prostatic cancer
see also Cancer
radioimmunoassay for detection of,
21:90
Prostin E2, 19:89
Prostin F2 Alpha, 19:26, 89
"Protein-sparing" diets, 19:69
Provest, 18:22
Pruitus, hydroxyzine for, 22:4
Psoriasis, azaribine for, 18:7
**PSYCHIATRIC DISORDERS, DRUGS
FOR, 18:89, 22:77**
*NOTE: Issues 464 and 566 are
devoted entirely to drugs for psychi-
atric disorders. The drugs are not
indexed separately.*
see also Depression, Phenothia-
zines and individual drugs
in breast milk, 21:23
in elderly patients, 21:43
Psychiatric effects of plant products,
21:29
Pulmonary emboli
and low-dose heparin, 19:71
treatment of with enzymes, 20:37
Pulpet B-100, 19:56
PyMaH Home Care Sphygmo-
manometer, 19:55
Pyopen, 19:17, 28, 21:45
Pyrazinamide, 19:98
Pyrethrins with piperonyl butoxide,
22:67
Pyribenzamine, 19:78

- Pyribenzamine Lontabs, 19:78
 Pyridoxine, 18:118
 for tardive dyskinesia, 21:35
 Pyrilamine maleate, 19:78
- Quaalude**, 19:14
 Quadriplegia from trampolines, 19:96
 Queldrine, 21:104
 Questran, 18:53, 19:41, 46, 21:98, 22:65
 Quinacrine, 19:47
 for giardiasis, 18:40
 Quinestrol for estrogen replacement, 22:57
 Quinidine, 19:101
 in elderly patients, 21:44
 Quinsana, 18:101
- R&C Spray**, 19:18
 R&C Spray III, 22:68
 RA 27/3, 21:53
 Rabies vaccine
 duck embryo, 22:93
 human diploid cell, 19:43, 22:93
 Radial keratotomy for myopia, 22:97
 Radiation
 see Cancer
 exposure from tomography, 18:80
 Radioactive fibrinogen
 for detection of thrombosis, 20:63
 Radiological techniques
 tomography, 18:79
 Radioreceptor assay for pregnancy, 20:40
 Ramses, 22:91
 Raudixin, 18:20
 Rauwiloid, 18:20
 Rauwolfia alkaloids, 18:20, 19:82, 21:35, 22:108
 RDS, 18:59
 Regitine, 18:32, 19:48, 21:16
 Regroton, 18:20
 Relaxation for hypertension, 20:62
 Renal complications from intestinal bypass for obesity, 20:34
 Renal disease
 and calcitriol, 21:50
 chronic, and metolazone, 21:40
 end-stage, home treatment of, 21:69
 Renese, 21:40
 Renoquid, 18:43
 Reserpazide, 18:20
 Reserpine
 and depression, 18:19
 and impotence, 19:82
 and sexual dysfunction, 22:108
 for tardive dyskinesia, 21:35
 Reserpoid, 18:20
 Respiratory distress syndrome, 18:59
 Retin-A, 20:35, 22:31, 107
 Retinoic acid, 22:31
 Retinopathy, diabetic, 18:107
 Rheumatoid arthritis
 DMSO for, 22:94
 drugs for, 18:77
 meclofenamate for, 22:111
 nonsteroidal anti-inflammatory drugs for, 22:29
 penicillamine for, 20:73
 salicylates for, 18:119, 20:100
 sulindac for, 21:1
 RID, 22:67
 Rifadin, 19:97, 20:68
 Rifampin, 19:97
 for fungal infections, 20:68
 Rimactane, 19:97, 20:68
 Ringworm infections
 griseofulvin for, 18:17
- Rinse Away, 19:64
 Ritalin, 18:5, 19:53, 20:55, 75
 Ritodrine for preterm labor, 22:89
 Robitussin, 21:104
 Robitussin-DM, 21:104
 Rocaltrol, 21:50
 Rovamycin, 20:68
 Rubella vaccine, 21:53
- Saccharin** and chemical carcinogenesis, 19:75
 Saf-T-Coil, 22:87
 Salicylates, 22:63
 for arthritis, 20:100
 and hyperactivity, 20:55
 interactions with alcohol, 19:48
 as sunscreens, 21:46
 Salicylic acid
 for acne, 22:31
 preparations for dandruff, 19:64
 Salicylsalicylic acid, 20:100
 Salmon calcitonin, 20:79
 Salsalate, 20:100
 Salt restriction and hypertension, 22:14
 Sanka and cardiovascular disease, 19:65
 correction, 19:80
 Sansert, 18:55
 Sarcoma
 see also Cancer
 and intramuscular iron, 19:35
 Scabanca, 19:19
 Scabies, treatment of, 19:18
 Schizophrenia, 18:6
 see also Psychiatric disorders
 in children, vitamin A for, 22:19
 drugs for, and tardive dyskinesia, 21:34
 lithium for, 22:17
 SCID, bone marrow transplantation for, 20:98
 Scleroderma, DMSO for, 22:95
 Scopolamine, 22:109
 Sebisol, 19:64
 Seborrheic dermatitis, treatment of, 19:64
 Secobarbital, preoperative, 19:26
 Sedatives
 see also Drug abuse and Psychiatric disorders
 benzodiazepines, 19:49
 in breast milk, 21:23
 and effects on driving, 19:99
 in elderly patients, 21:43
 interactions with alcohol, 19:48
 preoperative, 19:26
 and sexual dysfunction, 19:82, 22:109
 Seizures, 18:25, 21:25
 clonazepam for, 18:18
 sodium valproate for, 19:93
 Selacryn, 21:61
 Selenium sulfide for dandruff, 19:64
 Selsun, 19:64
 Semicid, 22:91
 Senile dementia, 18:38
 see also Psychiatric disorders
 ergot alkaloids for, 19:61
 stimulants for, 20:75
 Sepsis
 see also Antimicrobials
 cephalosporins for, 18:34
 choice of drugs for, 18:11
 SeptoDyne, 19:83
 Septin, 18:3, 33, 19:87, 20:59
 21:42, 97, 22:68, 69
 Ser-Ap-Es, 18:20
 Serax, 19:48, 49, 20:31
 see also Psychiatric disorders
 Sernylan, 19:70
- Serpasil, 18:19, 21:35
 Serpasil-Apresoline, 18:20
 Serpasil-Esidrix, 18:20
 Seromycin, 19:98
 Sexual dysfunction
 drugs causing, 19:81, 22:108
 Shampoos for treatment of dandruff, 19:64
 Shoes, corrective, 21:91
 Silvadene, 19:83
 Silver nitrate, 19:83
 topical, for gonococcal ophthalmia, 18:30
 Silver sulfadiazine, 19:83
 Sincalide for cholecystography, 19:36
 Sinemet, 18:117, 20:16, 21:37
 Sinemet - 25/100, 22:51
 Sinequan, 19:100
 SK-Diphenhydramine, 19:78
 SK-Erythromycin, 20:95
 Skin
 acne, 20:35, 22:31, 107
 and protection from sun, 21:46
 psoriasis, 18:7
 tinea, 18:17, 101
 treatment of frostbite, 18:105, 22:112
 Slow-K, 20:30
 Slow-release potassium preparations, 20:30
 SmokEnders, 20:108
 Smoking
 and frostbite, 18:105, 22:112
 and stopping, 20:107
 Snakebite, treatment of, 20:101
 Sodium intake
 and hypertension, 22:14
 in pregnancy, 20:65
 Sodium nitroprusside, 20:89
 and anesthesia, 18:68
 Sodium thiosulfate
 for cyanide poisoning, 18:68
 Sodium valproate, 19:93, 21:27
 Somatotropin deficiency, 19:57
 Sorbitrate, 20:90, 21:88
 Soy-based infant formulas, 18:104
 Spasticity, baclofen for, 20:43
 Spectinomycin for gonorrhea, 18:30, 19:107
 Spermicides, topical, 22:90
 Encare Oval, 20:29
 Sphygmotron BP200, 19:56
 Spiramycin, correction, 20:68
 Spironolactone and sexual dysfunction, 19:82, 22:108
 Splenectomy
 and antimicrobial prophylaxis, 19:2
 S Positive, 22:91
 SR III Subjective Refraction System, 20:91
 St. Joseph Cough Syrup for Children, 21:104
 Stadol, 20:111, 21:83
 Staphylococcal infections
 see also Antimicrobials
 cephalosporins for, 18:33
 Statatin, 22:107
 Statrol, 18:71
 Stealzine, 18:7
 Sterility from IUDs, 22:87
 Steroid hormones
 and sexual dysfunction, 19:82
 Steth n Sphg, 19:56
 Stimulants
 see also Drug abuse
 for hyperactivity, 19:53, 20:55
 for hyperkinesism, 18:5
 for senile dementia, 20:75
 Stings, insect
 Hymenoptera, systemic reactions to, 20:54
 venom extracts for, 22:37
 Stoxil, 19:42
- Streptase, 20:37
 Streptokinase
 for pulmonary emboli, 20:37
 Streptomycin, 19:97
 and colitis, 21:97
 Sublimaze, 19:27
 Sucrets Cough Control, 21:104
 Sulamyl, 18:71
 Sul-Blue, 19:64
 Sulfacel, 18:71
 Sulfacetamide
 for conjunctivitis, 18:71
 ophthalmic, 22:96
 Sulfacytine, 18:43
 Sulfamylon, 19:83
 Sulfipyrazone
 after myocardial infarction, 22:25
 for gout, 18:49
 Sulfisoxazole, 18:33, 44
 Sulfonamides, ophthalmic, 22:96
 Sulfonyleureas
 for diabetes, 19:25
 for hyperglycemia, 18:54
 Sulfosuccinate stool softeners, 19:45
 Sulfur
 in antidandruff products, 19:64
 in petrolatum, 19:19
 Sulfur-8 Hair & Scalp Conditioner, 19:64
 Sulindac, 21:1
 for dysmenorrhea, 21:82
 for rheumatoid arthritis, 22:29
 "Sun Protection Factor," 21:46
 Sunscreens, 21:46
 Suppositories
 Encare Oval, 20:29
 prostaglandin E₂, 19:89
 Surgery
 coronary artery, 18:57
 for frostbite, 18:105, 22:114
 long-acting anesthetics for, 19:4
 for obesity, 20:33
 ophthalmic, lens implantation, 19:67
 Surmontil, 22:16
 Susceptibility tests
 antimicrobial, 18:9, 22:22
 Sweeteners
 xylitol as sugar substitute, 19:79
 "Sweet 'n Low", mutagenicity, 19:76
 Swine influenza, 18:61
 Symmetrel, 20:25, 21:38, 22:92
 Synalar, 19:86, 22:52
 Synemol, 19:86
 Synthroid, 19:51
 Syphilis
 see also Antimicrobials
 prophylaxis, 18:44
 treatment of, 18:29, 19:105
- Tacaryl, 19:78
 Tace, 18:46
 Tachycardia
 disopyramide for, 19:101
 Tagamet, 19:29, 20:77, 22:27, 109
 Talc, 21:46
 Talwin, 18:46, 19:14, 20:111, 21:83
 Talwin Compound, 18:48
 Tamoxifen for breast cancer, 20:41
 Tandealil, 18:51, 19:34, 100
 Tardive dyskinesia, prevention and treatment, 21:34
 Tartrazine, 20:56
 Tatum-T, 22:87
 Tavist, 21:24
 Teas, herbal, adverse effects of, 21:29
 Tegretol, 18:26, 21:26, 22:18
 Temari, 19:78
 Temaril Spansules, 19:78
 Tempa-Dot, 21:20
 Temp-a-strip, 21:20

- Tempra overdose, 21:98
- Tennis elbow, 19:33
- Terbutaline, 22:90
- Testosterone derivatives, adverse effects of, 18:120
- Tests
- amniocentesis, 20:93
 - for antimicrobial susceptibility, 22:22
 - blood pressure monitoring, 19:55
 - for carcinogenicity, 18:74
 - cholecystography, 19:36
 - coronary arteriography, 18:57
 - for cystic fibrosis, 18:35
 - effects of oral contraceptives on, 21:54
 - eye refraction, automated, 20:91
 - for HDL levels, 21:3
 - Hemoccult II for colorectal cancer, 21:36
 - for hypersensitivity to bee stings, 20:54
 - for hypersensitivity to penicillin, 20:14
 - for intraocular pressure, 19:91
 - for pregnancy, 20:39
 - radioimmunoassay for prostatic cancer, 21:90
 - for stress, 20:53
 - thermometers, new, 21:19, 32
 - thallium 201 for coronary heart disease, 21:49
 - tomography, 18:79
 - Tetracycline, 18:3
 - for acne, 20:35
 - for chronic bronchitis, 22:68
 - and colitis, 21:97
 - for syphilis and gonorrhea, 18:29, 19:106, 107
 - topical, for acne, 22:31, 107
 - for travelers' diarrhea, 21:41
 - Tetrahydrocannabinol, 18:69, 22:41, 73, 109
 - Thallium 201, 21:49
 - THC, 18:69, 22:41, 73, 109
 - Theophylline in elderly patients, 21:44
 - Thermokeratoplasty, 22:97
 - Thermometers, new, 21:19, 32
 - Thimerosal, 19:83
 - Thiopental, preoperative, 19:26
 - Thioridazine, 20:50, 22:4, 18, 77
 - and sexual dysfunction, 19:82, 22:109
 - Thiothixene, 22:4
 - Thioxanthenes
 - see also Psychiatric disorders
 - and sexual dysfunction, 22:109
 - Thorazine, 18:7, 19:27, 47, 20:16, 22:4, 109
 - Thromboembolism
 - and heparin, 19:31
 - 125I fibrinogen for diagnosis of, 20:63
 - and low-dose heparin, 19:71
 - and oral contraceptives, 18:21
 - treatment of with enzymes, 20:37
 - Thrombolytic therapy for deep-vein thrombosis, 20:37
 - Thrombosis, pulmonary
 - and heparin prophylaxis, 19:31, 71
 - Thrombosis, venous
 - diagnosis of, 20:63
 - and heparin, 19:31
 - and oral contraceptives, 18:21
 - Thyroid hormone and cholesterol, 18:53
 - Thyroid replacement therapy, 19:50
 - Thyroid stimulating hormone, 19:50
 - Thyrolar, 19:51
 - TIAs, 22:71
 - Ticar, 19:17, 28
 - Ticarcillin, 19:17
 - correction, 19:28
 - Ticrynafen, 21:61
 - Timolol maleate for glaucoma, 20:109
 - Timoptic, 20:109
 - Tinactin, 18:101
 - Tincture of opium, 21:42
 - Tinea cruris, drugs for, 18:101
 - Tinea infections, 21:39
 - griseofulvin for, 18:17
 - Tinea pedis, 18:101
 - griseofulvin for, 18:17
 - Titanium dioxide, 21:46
 - Tobacco
 - and frostbite, 18:105, 22:112
 - and stopping smoking, 20:107
 - T-Meter, 21:20
 - Tobramycin, 18:35, 97, 19:17, 95, 22:85
 - Tofranil, 19:54, 100, 21:4, 22:16, 55, 77, 109
 - Tolazamide, 19:25
 - Tolazoline, 20:11
 - Tolbutamide, 19:25, 47
 - Tolmetin, 18:77, 21:1, 82, 22:29
 - Tolinase, 19:25
 - Tolmetin, 18:77, 21:1
 - for dysmenorrhea, 21:82
 - for rheumatoid arthritis, 22:29
 - Tolnaftate, 18:101
 - Tomography, 18:79
 - Tonometers for measuring intraocular pressure, 19:91
 - Topicort, 19:85, 86, 22:52
 - Topicycline, 20:35, 22:31, 107
 - Topsyn, 19:86, 22:52
 - Torsional deformities, 21:91
 - Tramprolines, a warning, 19:96
 - Tranquilizers
 - see also Drug abuse and Psychiatric disorders
 - interactions with alcohol, 19:48
 - Transient ischemic attacks, 22:71
 - Transplantation of bone marrow, 20:98
 - Tranxene, 19:48, 49, 92
 - see also Psychiatric disorders
 - Tranlycypromine, 18:32, 22:58
 - Travelers
 - diarrhea, 18:86, 21:41
 - prevention of, 22:63
 - immunizations for, 21:57
 - Trectator, 19:98, 22:110
 - Tretinoin for acne, 20:35, 22:31, 107
 - Triamcinolone acetonide, 19:86, 22:52
 - Triaminic Expectorant, 21:104
 - Triazolam, 19:50
 - Triazuril, 18:7
 - Trichomonas vaginitis
 - clotrimazole for, 18:67
 - metronidazole for, 21:89
 - Tricyclic antidepressants, 20:49, 22:77
 - see also Psychiatric disorders
 - Tridesilon, 19:86, 22:52
 - Tridione, 18:27
 - Trifluoperazine, 18:7
 - Trifluoridine for herpetic keratitis, 22:46
 - Trigeminal neuralgia
 - phenytoin for, 18:24
 - Trihexyphenidyl, 21:38
 - and sexual dysfunction, 22:109
 - Trilisate, 20:100
 - Trimethoprim tartrate, 19:78
 - Trimethadione for epilepsy, 18:27
 - Trimethoprim, 22:69
 - Trimethoprim-sulfamethoxazole, 18:3, 33, 19:87, 20:59, 21:42, 97, 22:68, 69
 - Trimipramine maleate, 22:16
 - Trimipex, 22:69
 - Trind Syrup, 21:104
 - Triplennamine HCl, 19:78
 - Triprolidine HCl, 19:78
 - Triten, 19:78
 - Triten Tab-In, 19:78
 - Tryptophan, 19:108
 - TSH, 19:50
 - Tuberculosis
 - chemotherapy for, 19:97
 - Tuscapien, 21:104
 - Tylenol, 18:73, 20:61, 104, 21:81
 - overdose, 21:98
 - Tyramine in foods, interactions with MAO inhibitors, 18:32, 22:58

Ulcers

 - debridement and dextranomer, 20:47
 - duodenal, cimetidine for, 19:29, 20:77
 - healing and zinc, 20:58
 - and slow-release potassium, 20:30

Ulcort, 19:86

Undecylenic acid, 18:101

Uni-Temp, 21:20

Urecholine for heartburn, 22:27

Urex, 18:3

Uricosuric drugs, 18:49

Urinary tract infections, 18:2, 11, 19:87, 21:86

 - see also Antimicrobials
 - cephalosporins for, 18:34
 - sulfacycline for, 18:43
 - nitrofurantoin for, 22:36
 - trimethoprim for, 22:69
 - trimethoprim-sulfamethoxazole for, 22:69

Urine concentration test

desmopressin for, 20:27

Urokinase

 - for pulmonary emboli, 20:37

Utibid, 18:2

 - dosage correction, 18:20

Vaccines

 - see also Immunization
 - bacterial, for asplenic patients, 19:3
 - hepatitis, 20:9
 - influenza, 18:61, 22:91
 - measles, 21:102
 - meningococcal, 19:3
 - pneumococcal, 19:3, 103, 20:13, 22:114
 - rabies, 19:43, 22:93
 - rubella, 21:53

Vaginal suppository for abortion, 19:89

Vaginitis, metronidazole for, 21:89

Valisone, 19:86, 20:112, 22:52

Valium, 18:18, 27, 60, 19:26, 47, 49, 71, 82, 92, 99, 20:31, 43, 51, 21:27, 109

 - see also Psychiatric disorders

Valproate, 21:27

Valproic acid, 19:93

 - for epilepsy, 21:27

Vancamil, 18:76

Vancocin, 18:33, 21:97

Vancocin, 18:33, for colitis, 21:97

Vanoxide for acne, 20:35

Vasodilan, 20:11

Vasodilators

 - in congestive heart failure, 20:89

peripheral, 20:11

Vasopressin

 - for diabetes insipidus, 20:26

Vegetarian diets, 21:62

Velosef, 18:33, 21:85

Venereal disease

 - see also Antimicrobials
 - prophylaxis of syphilis, 18:44
 - syphilis and gonorrhea, 18:29, 19:105

Venereal transmission of herpes simplex, 19:52

Venom

 - for Hymenoptera sensitivity, 20:54, 22:37
 - for snakebite, 20:101

Ventricular arrhythmias, 19:101

bretium for, 20:105

Verdefam, 18:101

Verstran, 19:50, 92

 - see also Psychiatric disorders

Viaflex, 22:43

Vibramycin, 21:41

Vidarabine, 21:17

 - for herpes simplex keratitis, 19:42

Viocin, 19:98

Viomycin, 19:98

Vira-A, 19:42, 21:17

Viroptic, 22:46

Virus, swine influenza, 18:61

Vision Analyzer, 20:91

Vistari, 19:26, 22:4, 109

Visual examinations

 - automated eye refractors, 20:91

Vitamins

 - A acid, 22:31
 - A toxicity, 22:19
 - B-12 deficiency and vegetarian diets, 18:68, 21:63
 - B-15, 20:44
 - D in hypocalcemia, 21:50
 - D for postmenopausal osteoporosis, 22:45
 - in pregnancy, 20:65
 - pyridoxine, 18:118, 21:35

Vitrectomy

 - for diabetic retinopathy, 18:108

Von Willebrand's disease

 - desmopressin for, 20:27

Westcott, 22:52

Withdrawal reactions

 - see also Drug abuse
 - from benzodiazepines, 22:78
 - clonidine and opiates, 21:100
 - from cocaine, 21:19
 - heroin and LAAM, 20:40
 - from ketamine, 19:58
 - nalbuphine, 21:83

Wounds

 - debridement, dextranomer for, 20:47
 - healing and zinc, 20:58

X-rays, tomography, 18:79

Xylitol in chewing gum, 19:79

Xylocaine, 18:1, 19:4, 101

Yutopar, 22:89

Zarontin, 18:18, 27, 19:93, 21:27

Zaroxolyn, 21:40

Zephiran, 18:85

Zinc, 20:57

 - for acne, 22:32
 - oxide, 21:46
 - pyrithione, 20:59
 - for dandruff, 19:64

Zincon, 19:64

Zollinger-Ellison syndrome, 19:30

Zonamune, 22:92

Zyoprime for gout, 18:50

